

Brand and Model	Year	Doors	Ref	Adapt	Recommend.	Front	Rear	kg	lbs	mm	inch	mm	inch	Installation
Acura														
CL	97-00	2	2		1c	9	7	75	165	570	22 1/2	500	19 3/4	
	97-00	2	2	▣	9o	9	11	75	165	400	15 3/4	350	13 3/4	
	01-04	2	2	▣	9o	23	18	75	165	450	17 3/4	500	19 3/4	4i
EL	97-00	4	10			9	9	75	165	210	8 1/4	700	27 1/2	
	01-06	4	10			14	16	75	165	280	11	630	24 3/4	4i
Integra	86-89	3	4		1c	18	17	75	165	500	19 3/4	450	17 3/4	
	86-89	3	4	▣	9o	17	17	75	165	520	20 1/2	420	16 1/2	3u
	90-93	3	8		1c	22	21	75	165	500	19 3/4	440	17 1/4	
	90-93	3	8	▣	9o	21	20	75	165	460	18	360	14 1/4	
	94-01	3	3	▣	9o	16	19	40	88	370	14 1/2	270	10 3/4	1x 1b 3u
	90-93	4	8			21	20	75	165	250	9 3/4	600	23 1/2	
	94-96	4	8		1b	21	22	75	165	250	9 3/4	550	21 3/4	
Legend	91-96	2	2		1c	12	11	75	165	450	17 3/4	410	16 1/4	
	91-96	2	2	▣	9o	12	13	75	165	480	19	410	16 1/4	3u
	86-90	4	4			21	19	75	165	250	9 3/4	700	27 1/2	
	91-96	4	2			15	15	75	165	200	7 3/4	600	23 1/2	
RL	96-00	4	2			19	19	75	165	330	13	700	27 1/2	
SLX	96-01	5	2		1i	27	27	75	165	300	11 3/4	700	27 1/2	
TL	96-98	4	8			24	30	75	165	300	11 3/4	600	23 1/2	
	99-03	4	2			17	14	75	165	300	11 3/4	600	23 1/2	4i
	04-08	4	2			15	15	75	165	250	9 3/4	550	21 3/4	4i
TSX	04-08	4	2			18	18	75	165	250	9 3/4	550	21 3/4	4i
	09	4	10			27	24	75	165	300	11 3/4	530	20 3/4	
Vigor	92-95	4	8		1b	21	20	75	165	260	10 1/4	530	20 3/4	
Alfa Romeo														
164	88-98	4	4			22	20	75	165	410	16 1/4	850	33 1/2	4i
AMC														
Eagle 4X4	83-88	5	1					75	165					
Asüna														
SE	87-93	3	3		1c	20	19	75	165	470	18 1/2	400	15 3/4	3u 4i
	87-93	3	3	▣	9o	19	19	75	165	440	17 1/4	390	15 1/4	3u
	87-93	4-5	3		1d	17	17	75	165	510	20	440	17 1/4	
Sunfire	93	3	2	▣	9o	11	10	75	165	430	17	390	15 1/4	
Sunrunner	93	3	2			10	10	75	165	400	15 3/4	700	27 1/2	
Audi														
80	88-92	4	2			5	4	75	165	250	9 3/4	650	25 1/2	
	92-95	4	2		9d	9	9	75	165	300	11 3/4	700	27 1/2	
90	88-92	4	2			5	4	75	165	250	9 3/4	650	25 1/2	
	92-95	4	2		9d	9	9	75	165	300	11 3/4	700	27 1/2	
100	90-92	4	2			10	8	75	165	300	11 3/4	700	27 1/2	
	92-95	4	2			15	14	75	165	290	11 1/2	700	27 1/2	
100 WAG	88-92	5	2		1i 9f	13	9	75	165	250	9 3/4	700	27 1/2	
	88-92	5	9					75	165					
	93-94	5	9					75	165					
200	90-92	4	2			10	8	75	165	300	11 3/4	700	27 1/2	
200 WAG	88-92	5	2		1i 9f	13	9	75	165	250	9 3/4	700	27 1/2	
	88-92	5	9					75	165					
	93-94	5	9					75	165					
4000	81-87	4	1					75	165	300	11 3/4	700	27 1/2	
5000	83-89	4	2			10	8	75	165	300	11 3/4	700	27 1/2	
5000 WAG	82-87	5	2			10	8	75	165	300	11 3/4	700	27 1/2	
A4	95-01	4	2		9d	9	9	75	165	300	11 3/4	700	27 1/2	
	02-05	4	2			16	12	75	165	380	15	680	26 3/4	4i
A6	95-97	4	2			15	14	75	165	290	11 1/2	700	27 1/2	
A6 WAG	95-97	5	9					75	165					
S4	92-95	4	2			15	14	75	165	290	11 1/2	700	27 1/2	
S6	95-97	4	2			15	14	75	165	290	11 1/2	700	27 1/2	
S6 WAG	95-97	5	9					75	165					
Austin														
Mini	59-97	3	1					75	165					

BMW														
Serie 3	92-98	2	8			32	29	75	165	500	19 3/4	700	27 1/2	
	84-91	2-4	1					75	165					
	99-01	4	2			14	12	75	165	300	11 3/4	600	23 1/2	
Serie 5	81-87	4	1					75	165					
	88-95	4	2			17	16	75	165	300	11 3/4	700	27 1/2	
Serie 5 WAG	92-95	5	2		1i	14	12	75	165	200	7 3/4	700	27 1/2	
Serie 6	79-90	2	1					75	165					
Serie 7	86-94	4	2			18	19	75	165	300	11 3/4	700	27 1/2	
	95-01	4	2			16	16	75	165	300	11 3/4	700	27 1/2	
X3	04-09	5	9		1f			75	165					
X5	00-09	5	9					75	165					

Buick														
Allure / Lacrosse	05-08	4	2			20	13	75	165	250	9 3/4	550	21 3/4	4i
Century	82-96	4	2			22	21	75	165	250	9 3/4	700	27 1/2	
	97-05	4	2			12	10	75	165	250	9 3/4	650	25 1/2	3u
Century WAG	84-96	5	2		1i 9f	22	21	75	165	250	9 3/4	700	27 1/2	
	84-96	5	9					75	165					
Electra	85-90	4	2			32	32	75	165	300	11 3/4	700	27 1/2	3x
Electra WAG	77-90	5	1					75	165					
Le Sabre	86-91	2	2		1b	30	30	75	165	550	21 3/4	500	19 3/4	
	86-91	4	2			29	30	75	165	250	9 3/4	700	27 1/2	
	92-99	4	2			25	23	75	165	300	11 3/4	700	27 1/2	
Park Avenue	85-90	4	2			32	32	75	165	300	11 3/4	700	27 1/2	3x
	91-96	4	2			25	25	75	165	260	10 1/4	700	27 1/2	3x
Regal	88-96	4	5			28	28	75	165	300	11 3/4	660	26	
	97-02	4	2			12	10	75	165	250	9 3/4	650	25 1/2	3u
Riviera	86-94	2	5		1b	32	31	75	165	550	21 3/4	460	18	
	95-99	2	3		1d	14	11	75	165	550	21 3/4	550	21 3/4	3b
Skyhawk	82-88	2	1					75	165					
	82-88	3	1					75	165					
	82-88	4	1					75	165					
Skyhawk WAG	82-88	5	1		9f			75	165					
	82-88	5	9					75	165					
Skylark	85-91	2	2		1d	18	18	75	165	610	24	560	22	
	85-91	4	2			16	16	75	165	250	9 3/4	650	25 1/2	

Cadillac														
Brougham	76-92	4	2			32	32	75	165	250	9 3/4	700	27 1/2	
Cimarron	82-88	2	1					75	165					
	82-88	3	1					75	165					
	82-88	4	1					75	165					
Eldorado	86-91	2	5		1b	32	32	75	165	590	23 1/4	530	20 3/4	
	92-03	2	2		9o	21	20	75	165	500	19 3/4	390	15 1/4	4l 4i
Seville	79-85	4	2			29	29	75	165	300	11 3/4	700	27 1/2	
	86-91	4	5			32	32	75	165	300	11 3/4	700	27 1/2	
Seville STS / SLS	92-04	4	5			27	26	75	165	280	11	650	25 1/2	
SRX	04-09	5	9					75	165					

Chevrolet														
Astro	85-05	4	9					75	165					
Aveo	04-09	5	2			14	12	75	165	300	11 3/4	700	27 1/2	4i
Blazer	82-94	3	3		1d 9f	25	25	75	165	455	18	400	15 3/4	
	82-94	3	9					75	165					
	91-94	5	2		1d 9f	16	16	75	165	30	1 1/4	430	17	
	91-94	5	9					75	165					
	95-05	5	9					75	165					
Blazer C/K	92-94	3	9					75	165					
	92-94	5	9					75	165					
Camaro	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Camaro T-Top	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Cavalier	82-87	2	1					75	165					
	88-94	2	1					75	165					
	95-05	2	5		1c	20	20	75	165	550	21 3/4	470	18 1/2	
	95-05	2	5		9o	19	22	75	165	500	19 3/4	440	17 1/4	
	82-88	3	1					75	165					
	82-94	4	1					75	165					
	95-05	4	5			15	13	75	165	210	8 1/4	650	25 1/2	

Cavalier WAG	82-94	5	1	9f			75	165						
	82-94	5	9					75	165					
Celebrity	82-89	2	2	1i 9f	22	22	75	165	550	21 3/4	700	27 1/2		
Celebrity WAG	82-89	4	2		22	21	75	165	250	9 3/4	700	27 1/2		
	84-89	5	2		22	21	75	165	250	9 3/4	700	27 1/2		
	84-89	5	9				75	165						
Chevette	78-87	3	1				75	165	300	11 3/4	700	27 1/2		
	78-87	5	1				75	165	300	11 3/4	700	27 1/2		
Colorado	04-07	4	5		20	20	75	165	450	17 3/4	700	27 1/2		
Corsica	88-96	4	5		27	24	75	165	260	10 1/4	600	23 1/2		
Impala	00-05	4	2		26	23	75	165	300	11 3/4	700	27 1/2	4i	
IROC-Z	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Iroc-Z T-Top	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Lumina	89-94	4	5			32	31	75	165	250	9 3/4	650	25 1/2	
	95-99	4	4			25	23	75	165	280	11	680	26 3/4	
Malibu	97-03	4	2			11	10	75	165	280	11	700	27 1/2	3u
	04-07	4	2			19	18	75	165	300	11 3/4	700	27 1/2	4i 9d
Malibu Maxx	04-07	5	2			19	18	75	165	300	11 3/4	700	27 1/2	4i 9d
Metro	98-00	3	3	α	1c	15	14	75	165	400	15 3/4	350	13 3/4	
	98-00	3	3		9o	14	14	75	165	410	16 1/4	390	15 1/4	3u
	98-00	4	3			14	12	75	165	250	9 3/4	600	23 1/2	
Monte-Carlo	95-99	2	4	α	1c	28	26	75	165	590	23 1/4	500	19 3/4	
	95-99	2	4		9o	28	26	75	165	520	20 1/2	450	17 3/4	
	00-05	2	2			15	12	75	165	630	24 3/4	600	23 1/2	4i 4o
Nova	85-88	5	3			30	30	75	165	300	11 3/4	700	27 1/2	
Optra	04-06	4	2			11	9	75	165	250	9 3/4	500	19 3/4	4i
Optra 5	04-08	5	2			11	9	75	165	250	9 3/4	500	19 3/4	4i
Optra Wagon	04-08	5	2			10	7	75	165	100	4	650	25 1/2	4i
S-10 King Cab	82-93	2	3	α	9o	27	27	75	165	410	16 1/4	360	14 1/4	3h
Sprint	84-88	3	3		1c	18	17	75	165	550	21 3/4	500	19 3/4	
	84-88	3	3	α	9o	20	20	75	165	460	18	400	15 3/4	
	89-94	3	4		1c	13	10	75	165	540	21 1/4	470	18 1/2	
	89-94	3	4	α	9o	13	13	75	165	480	19	350	13 3/4	
	89-94	4	4			12	11	75	165	280	11	630	24 3/4	
	84-88	5	3			19	19	75	165	220	8 3/4	700	27 1/2	3u
	89-94	5	4			12	11	75	165	280	11	630	24 3/4	
Suburban	92-99	5	9					75	165					
Tahoe	95-99	3	9					75	165					
	95-99	5	9					75	165					
Tracker	89-98	3	2			10	10	75	165	400	15 3/4	700	27 1/2	
	99-04	5	9		1f			75	165	200	7 3/4	900	35 1/2	
Venture	97-99	4	9					75	165					
	97-05	5	9					75	165					
Z28	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Z-28 T-Top	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c

Chrysler

300	05-09	4	2	9f	25	25	75	165	450	17 3/4	650	25 1/2	4i	
300C	05-07	4	2		25	25	75	165	450	17 3/4	650	25 1/2	4i	
300M	99-04	4	5	9f	30	29	75	165	250	9 3/4	630	24 3/4	3u	
Caravan	88-95	4	1					75	165					
	88-95	4	9				75	165						
Cirrus	95-00	4	4		28	25	75	165	260	10 1/4	580	22 3/4		
Concorde	93-97	4	2		17	16	75	165	300	11 3/4	670	26 1/2		
Daytona	84-93	3	4		1d	21	21	75	165	460	18	420	16 1/2	
Daytona T-Top	84-93	3	4		1d	31	31	75	165	460	18	420	16 1/2	3m
Dynasty	88-93	4	4			28	27	75	165	300	11 3/4	700	27 1/2	
Fifth Avenue	77-89	4	2			26	26	75	165	300	11 3/4	700	27 1/2	
Imperial	89-93	4	5			29	26	75	165	300	11 3/4	700	27 1/2	
Intrepid	93-97	4	2			17	16	75	165	300	11 3/4	670	26 1/2	
	98-05	4	5			30	29	75	165	250	9 3/4	630	24 3/4	3u
Le Baron	82-86	2	1					75	165					
	87-95	2	4		1b 1d	16	14	75	165	530	20 3/4	450	17 3/4	
	82-88	4	1					75	165					
	90-94	4	4			21	19	75	165	250	9 3/4	700	27 1/2	
Le Baron GTS	85-89	5	4			21	19	75	165	300	11 3/4	700	27 1/2	
LHS	94-97	4	2			19	17	75	165	300	11 3/4	700	27 1/2	

Neon	00-04	4	4			18	15	75	165	320	12 1/2	600	23 1/2	
New Yorker	88-93	4	4			28	27	75	165	300	11 3/4	700	27 1/2	
	94-97	4	2			19	17	75	165	300	11 3/4	700	27 1/2	
NY Fifth Avenue	90-93	4	4			28	27	75	165	300	11 3/4	700	27 1/2	
PT Cruiser	01-09	5	5		1i	26	23	75	165	200	7 3/4	700	27 1/2	1a 4o
Reliant	81-89	4	1					75	165					
Sebring	95-00	2	8		1c	29	28	75	165	480	19	400	15 3/4	
	95-00	2	8	α	9o	30	27	75	165	450	17 3/4	370	14 1/2	
	01-06	4	4	α	9o	27	24	75	165	300	11 3/4	400	15 3/4	4o
Town & Country	84-95	4	1		9f			75	165					
	84-95	4	9					75	165					
	96-99	4	9					75	165					
	96-01	5	4		1i	26	26	75	165	130	-5	800	31 1/2	
	96-01	5	9					75	165					

Daewoo

Lanos	99-00	3	2	α	9o	16	15	75	165	430	17	350	13 3/4	4i
	99-00	4	2			8	8	75	165	300	11 3/4	600	23 1/2	4i
Leganza	99-00	4	2			13	12	75	165	300	11 3/4	700	27 1/2	4i 4o
Nubira	99-00	4	2			10	9	75	165	300	11 3/4	600	23 1/2	4i 4o
Nubira Wag	99-00	5	9					75	165	300	11 3/4	800	31 1/2	

Dodge

2000 GTX	89-93	4	2			13	10	75	165	300	11 3/4	700	27 1/2	4i
Aries	81-89	2	1					75	165					
	81-89	4	1					75	165					
Aries WAG	81-89	5	1		9f			75	165					
	81-89	5	9					75	165					
Avenger	95-00	2	8		1c	29	28	75	165	480	19	400	15 3/4	
	95-00	2	8	α	9o	30	27	75	165	450	17 3/4	370	14 1/2	
Caravan	84-95	4	1		9f			75	165					
	84-95	4	9					75	165					
	96-01	4	9					75	165					
	96-01	5	4		1i	26	26	75	165	130	-5	800	31 1/2	
	96-01	5	9					75	165					
Charger	05-07	4	2			25	25	75	165	450	17 3/4	650	25 1/2	4i
Colt	93-96	2	3		1c	20	19	75	165	450	17 3/4	400	15 3/4	
	93-96	2	3	α	9o	22	21	75	165	400	15 3/4	360	14 1/4	
	79-88	3	5		1c	9	8	75	165	500	19 3/4	400	15 3/4	
	79-88	3	5	α	9o	10	10	75	165	470	18 1/2	370	14 1/2	
	79-88	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b
	93-96	4	3		1d	20	19	75	165	450	17 3/4	400	15 3/4	
Colt 100	89-92	3	5		1c	9	8	75	165	500	19 3/4	400	15 3/4	
	89-92	3	5	α	9o	10	10	75	165	470	18 1/2	370	14 1/2	
	89-92	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b
Colt 200	89-92	3	4		1c	18	14	75	165	520	20 1/2	440	17 1/4	
	89-92	3	4	α	9o	15	11	75	165	430	17	330	13	
Colt Minivan	92-96	4	1		9f			75	165					
	92-96	4	9					75	165					
	84-91	5	1					75	165					
	84-91	5	9					75	165					
Colt Vista	84-91	5	1					75	165					
	84-91	5	9					75	165					
Dakota	87-96	2	3		1d	28	28	75	165	450	17 3/4	400	15 3/4	
Daytona	84-93	3	4		1d	21	21	75	165	460	18	420	16 1/2	
Diplomat	77-88	4	2			22	25	75	165	300	11 3/4	700	27 1/2	
Diplomat WAG	77-88	5	2		1i	22	25	75	165	300	11 3/4	700	27 1/2	
Durango	04-09	5	9		1f			75	165					
Dynasty	88-93	4	4			28	27	75	165	300	11 3/4	700	27 1/2	
Grand Caravan	88-95	4	1		9f			75	165					
	88-95	4	9					75	165					
	96-99	4	9					75	165					
Intrepid	93-97	4	2			17	16	75	165	300	11 3/4	670	26 1/2	
	98-02	4	5			30	29	75	165	250	9 3/4	630	24 3/4	3u
Lancer	85-89	5	4			21	19	75	165	300	11 3/4	700	27 1/2	
Magnum	05-07	5	2			25	25	75	165	450	17 3/4	650	25 1/2	4i
Neon	94-99	2	8		1c	24	23	75	165	500	19 3/4	450	17 3/4	
	94-99	2	8	α	9o	27	24	75	165	400	15 3/4	340	13 1/2	4l

Neon	94-99	4	8	□	1b	23	22	75	165	220	8 3/4	550	21 3/4		
	94-99	4	9						75	165					
	00-04	4	4				18	15	75	165	320	12 1/2	600	23 1/2	
Omni	78-90	5	1						75	165					
Ram 150 Pickup	72-93	2	1						75	165					
Ram 250 Pickup	72-93	2	1						75	165					
Ram 350 Pickup	72-93	2	1						75	165					
Ram 50 Van	76-93	4	1						75	165					
Shadow	87-94	3	4			1c	22	21	75	165	500	19 3/4	450	17 3/4	
	87-94	3	4		□	9o	20	22	75	165	500	19 3/4	390	15 1/4	
	87-94	5	4			21	19	75	165	260	10 1/4	630	24 3/4		
Spirit	88-95	4	4			21	19	75	165	250	9 3/4	700	27 1/2		
Stealth	91-96	3	8	□	9o	28	26	75	165	480	19	390	15 1/4		
Stratus	95-99	4	4			28	25	75	165	260	10 1/4	580	22 3/4		

Eagle

2000 GTX	89-93	4	2	□		13	10	75	165	300	11 3/4	700	27 1/2	4i	
Alliance	83-88	4	1						75	165	350	13 3/4	700	27 1/2	
Summit	93-96	2	3			1c	20	19	75	165	450	17 3/4	400	15 3/4	
	93-96	2	3			9o	22	21	75	165	400	15 3/4	360	14 1/4	
	89-92	3	4			1c	18	14	75	165	520	20 1/2	440	17 1/4	
	89-92	3	4			9o	15	11	75	165	430	17	330	13	
Summit Minivan	93-96	4	3			1d	20	19	75	165	450	17 3/4	400	15 3/4	
	92-96	4	1			9f			75	165					
	92-96	4	9						75	165					
Talon	90-94	3	2			1b	10	10	75	165	550	21 3/4	480	19	
Vision	93-97	4	2			17	16	75	165	300	11 3/4	670	26 1/2		
Vista	89-92	3	5		1c	9	8	75	165	500	19 3/4	400	15 3/4		
	89-92	3	5	□	9o	10	10	75	165	470	18 1/2	370	14 1/2		
Vista Minivan	89-92	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b	
	84-91	5	1					75	165						
	84-91	5	9					75	165						

Ford

Aspire	94-97	3	3	□	1c	19	18	75	165	420	16 1/2	500	19 3/4		
	94-97	3	3			9o	21	23	75	165	350	13 3/4	320	12 1/2	4i
	94-97	5	3				19	19	75	165	250	9 3/4	620	24 1/2	
Bronco II	83-90	3	1			1b			75	165					
Escape	08-09	5	9						75	165					
Escort	81-90	3	1						75	165					
	91-96	3	3				24	23	75	165	450	17 3/4	700	27 1/2	
	91-96	4	3				20	20	75	165	250	9 3/4	700	27 1/2	
	97-99	4	3				24	24	75	165	300	11 3/4	650	25 1/2	3y 4i
	81-90	5	1						75	165					
	91-96	5	3			20	20	75	165	250	9 3/4	700	27 1/2		
Escort WAG	81-90	5	1					75	165						
	91-96	5	2			14	13	75	165	200	7 3/4	600	23 1/2	4i 3u	
	97-99	5	2			12	12	75	165	300	11 3/4	700	27 1/2	3y 4i	
Festiva	88-93	3	3		1c	17	16	75	165	530	20 3/4	480	19		
	88-93	3	3	□	9o	20	18	75	165	510	20	440	17 1/4	3u	
Five Hundred	05-07	4	2			29	29	75	165	300	11 3/4	700	27 1/2	4i	
Focus	08-09	4	2			10	8	75	165	230	9	500	19 3/4		
Focus / ZX3	00-07	3	2	□	9o	8	7	75	165	420	16 1/2	300	11 3/4	4i	
Focus / ZX5	00-07	4-5	2			7	10	75	165	200	7 3/4	700	27 1/2	4i 3c 3h	
Focus Wag / ZTW	00-07	5	9					75	165						
LTD Crown Victoria	79-91	4	2			28	28	75	165	300	11 3/4	700	27 1/2		
LTD Crown Victoria WAG	79-91	5	2			27	29	75	165	300	11 3/4	700	27 1/2		
	79-91	5	9					75	165						
Mustang	79-93	2	3		1c	29	29	75	165	550	21 3/4	500	19 3/4		
	79-93	2	3	□	9o	29	29	75	165	450	17 3/4	400	15 3/4		
	79-93	3	3		1c	29	29	75	165	550	21 3/4	500	19 3/4		
	79-93	3	3	□	9o	29	29	75	165	450	17 3/4	400	15 3/4		
Probe	93-98	3	8	□	9o	24	20	75	165	400	15 3/4	310	12 1/4	4o	
Ranger	83-92	2	1					75	165						
	93-99	2	6		1d	32	32	75	165	500	19 3/4	420	16 1/2		
Ranger Supercab	93-97	2	6		1c	32	32	75	165	500	19 3/4	420	16 1/2		
	93-97	2	6	□	9o	32	32	75	165	400	15 3/4	330	13	3u 4i	
Taurus	86-95	4	6			22	20	75	165	300	11 3/4	600	23 1/2		

Taurus	96-99	4	2	□	1c	14	15	75	165	300	11 3/4	600	23 1/2	
Tempo	84-95	2	6			19	18	75	165	570	22 1/2	500	19 3/4	
Thunderbird	84-95	2	6	□	9o	18	15	75	165	500	19 3/4	420	16 1/2	
	84-95	4	6			18	18	75	165	300	11 3/4	650	25 1/2	
	89-97	2	5	□	1c	32	30	75	165	430	17	350	13 3/4	
	89-97	2	5			30	31	75	165	410	16 1/4	280	11	
Windstar	95-98	4	9					75	165					

Geo

Metro	89-94	3	4	□	1c	13	10	75	165	540	21 1/4	470	18 1/2		
	89-94	3	4			13	13	75	165	480	19	350	13 3/4		
	95-00	3	3		□	1c	15	14	75	165	400	15 3/4	350	13 3/4	
	95-00	3	3				14	14	75	165	410	16 1/4	390	15 1/4	3u
	89-94	4	4				12	11	75	165	280	11	630	24 3/4	
	95-00	4	3				14	12	75	165	250	9 3/4	600	23 1/2	
89-94	5	4			12	11	75	165	280	11	630	24 3/4			
Prizm	88-92	4	1	□	9o			75	165	250	9 3/4	650	25 1/2		
Storm	92-93	3	2			11	10	75	165	430	17	390	15 1/4		
Tracker	89-97	3	2			10	10	75	165	400	15 3/4	700	27 1/2		

GMC

Canyon	04-07	4	5	□		20	20	75	165	450	17 3/4	700	27 1/2			
Envoy	99-02	5	9							75	165					
Jimmy	82-94	3	3			□	1d 9f	25	25	75	165	455	18	400	15 3/4	
	82-94	3	9									75	165			
	91-94	5	2			□	1d 9f	16	16	75	165	30	1 1/4	430	17	
	91-94	5	9									75	165			
	95-02	5	9							75	165					
S-15 King Cab	82-93	2	3	□	9o	27	27	75	165	410	16 1/4	360	14 1/4	3h		
Safari	85-03	4	9	□	9o			75	165							
Sonoma King Cab	82-93	2	3			27	27	75	165	410	16 1/4	360	14 1/4	3h		
Tracker	89-98	3	2			10	10	75	165	400	15 3/4	700	27 1/2			
Yukon	92-99	3	9							75	165					
	92-99	5	9							75	165					

Honda

Accord	86-89	2	4	□	9o	19	19	75	165	500	19 3/4	400	15 3/4	
	90-93	2	2			11	9	75	165	500	19 3/4	450	17 3/4	
	90-93	2	2	□	9o	10	8	75	165	480	19	430	17	
	94-98	2	2			11	8	75	165	580	22 3/4	520	20 1/2	
	94-98	2	2	□	9o	18	20	75	165	450	17 3/4	410	16 1/4	
	98-02	2	2	□	9o	17	17	75	165	480	19	400	15 3/4	4i 3u
	03-07	2	2	□		19	18	75	165	100	4	300	11 3/4	4i
	86-89	3	4	□	9o	18	18	75	165	520	20 1/2	330	13	
	86-89	4	4			20	20	75	165	250	9 3/4	700	27 1/2	
	90-93	4	2			10	9	75	165	230	9	650	25 1/2	
	94-97	4	2	□	1a	10	8	75	165	290	11 1/2	650	25 1/2	
	98-02	4	2			16	14	75	165	300	11 3/4	700	27 1/2	4i
	03-07	4	2			17	17	75	165	300	11 3/4	700	27 1/2	4i 3y
	08-09	4	10			27	24	75	165	300	11 3/4	530	20 3/4	
Accord Wag	91-93	5	2	□	1i 9f	11	9	75	165	270	10 3/4	700	27 1/2	
	91-93	5	9							75	165			
94-97	5	2			9	8	75	165	320	12 1/2	540	21 1/4	3u 4i	
Civic	92-95	2	3	□	1c	17	16	75	165	480	19	430	17	3u 4i
	92-95	2	3			17	17	75	165	420	16 1/2	380	15	3u 4i
	96-00	2	3	□	9o	20	19	75	165	450	17 3/4	390	15 1/4	
	88-91	3	2			7	7	75	165	550	21 3/4	500	19 3/4	
	92-95	3	3	□	1c	17	16	75	165	480	19	430	17	3x 4i
	92-95	3	3			17	18	75	165	400	15 3/4	330	13	
	96-00	3	3	□	1c	19	20	75	165	470	18 1/2	410	16 1/4	
	96-00	3	3			20	20	75	165	450	17 3/4	390	15 1/4	3u
	88-91	4	2	□	1b	9	8	75	165	250	9 3/4	650	25 1/2	
	92-95	4	2			4	5	75	165	200	7 3/4	550	21 3/4	
96-00	4	10	9			9	75	165	200	7 3/4	550	21 3/4		
01-05	4	10			14	16	75	165	280	11	630	24 3/4	4i	
Civic Wag	88-91	5	9					75	165					
Crossroad	93-98	5	9					75	165					
CRV	97-01	5	3	□	1i	31	29	75	165	250	9 3/4	700	27 1/2	
	97-01	5	9							75	165			

CRX	84-87	3	8	□	9o	22	23	75	165	410	16 1/4	400	15 3/4	
Fit	09	5	2		9o	21	15	75	165	270	10 3/4	600	23 1/2	
Odyssey	95-98	5	3		1i	32	32	75	165	130	5	700	27 1/2	
Passport	05-09	5	9		1f	28	28	75	165	360	14 1/4	800	31 1/2	
	90-97	5	4		1b 1i			75	165					
	98-00	5	9					75	165					
Pilot	02-08	5	9				75	165						
Prelude	88-91	2	5	□	9o	18	17	75	165	510	20	330	13	

Hyundai

Accent	95-99	3	3	□	9o	18	10	75	165	380	15	340	13 1/2	3u	
	00-05	3	3		9o	24	24	75	165	500	19 3/4	350	13 3/4		
	95-99	4	3		15	13	75	165	250	9 3/4	600	23 1/2			
	00-05	4	3		24	24	75	165	300	11 3/4	650	25 1/2	4i		
Elantra	92-95	4	4	□	9o	19	15	75	165	250	9 3/4	600	23 1/2		
	96-00	4	5				19	19	75	165	270	10 3/4	620		24 1/2
Elantra Wag	01-06	4	2	□	9o	19	19	75	165	170	6 3/4	380	15	4i	
	96-01	5	9					75	165						
Entourage	07-09	5	9		1f			75	165						
Excel	86-89	3	4	□	9o	10	10	75	165	520	20 1/2	300	11 3/4	3u 1b	
	86-89	4	5				11	11	75	165	300	11 3/4	700		27 1/2
	90-94	4	4				12	12	75	165	300	11 3/4	700		27 1/2
	86-89	5	4				11	11	75	165	280	11	700		27 1/2
Genesis	09	4	10			23	23	75	165	220	8 3/4	600	23 1/2		
Pony	77-87	5	1					75	165	300	11 3/4	700	27 1/2		
Santa Fe	01-05	5	9		1f			75	165				1a		
Sonata	89-93	4	4	□	9o	21	19	75	165	300	11 3/4	700	27 1/2		
	94-98	4	3				31	29	75	165	290	11 1/2	630		24 3/4
Stellar	78-88	4	1					75	165						
Tucson	05-09	5	9		1f			75	165						

Infiniti

FX35/45	03-08	5	9	□				75	165					
G20	91-96	4	4		22	20	75	165	350	13 3/4	650	25 1/2		
	99-01	4	5		22	20	75	165	300	11 3/4	600	23 1/2		
I30	96-99	4	5		22	22	75	165	250	9 3/4	600	23 1/2	3c	
J30	92-97	4	3		1d 9b	22	22	75	165	300	11 3/4	600		23 1/2
Q45	91-93	4	2		26	25	75	165	300	11 3/4	700	27 1/2		
	94-96	4	2	26	25	75	165	300	11 3/4	700	27 1/2			
QX4	97-03	5	3	1i	19	17	75	165	350	13 3/4	750	29 1/2	3c	

Isuzu

Hombre	96-97	2	4	□		29	29	75	165					
Impulse	89-93	3	2		9o	11	10	75	165	430	17	390	15 1/4	
Oasis	96-98	5	3		1i	32	32	75	165	130	5	700	27 1/2	
Pickup	84-95	2	4		1b 1i	28	28	75	165	360	14 1/4	800	31 1/2	
Rodeo	90-97	5	4					75	165					
	98-03	5	9					75	165					
Stylus	92-95	4	4		21	18	75	165	235	9 1/4	590	23 1/4	4i	
Trooper	81-91	5	1	□	9o	27	27	75	165	300	11 3/4	700	27 1/2	
	92-02	5	2					75	165					

Jaguar

Daimler	88-98	4	1	□				75	165					
Executif	88-98	4	1					75	165					
Sovereign	88-98	4	1					75	165					
Vanden Plas	88-01	4	1					75	165					
XJ12	88-98	4	1					75	165					
XJ6	88-98	4	1					75	165					
XJ8	98-01	4	1					75	165					
XJR	95-01	4	1					75	165					
XJS	75-96	2	1					75	165					

Jeep

Cherokee	83-01	3-5	1	□				75	165					
Comanche	85-92	2	1					75	165	300	11 3/4	700	27 1/2	
Grand Cherokee	05-09	5	9		1f			75	165					
Liberty	02-07	5	9		1f			75	165	150	6	700	27 1/2	
Wagoneer	83-92	3-5	1					75	165					

Kia

Rio	01-05	4	2	□	9o			75	165	250	9 3/4	400	15 3/4	4o
-----	-------	---	---	---	----	--	--	----	-----	-----	-------	-----	--------	----

Rio RX-V	02-05	5	9		1f			75	165	350	13 3/4	750	29 1/2	
Sedona	02-05	5	9					75	165					
Sephia	94-97	4	2			10	11	75	165	270	10 3/4	650	25 1/2	
Spectra	00-01	4	2			11	8	75	165	300	11 3/4	600	23 1/2	4i 4o
	02-05	4	2			11	9	75	165	300	11 3/4	600	23 1/2	
	02-03	5	2			11	9	75	165	300	11 3/4	600	23 1/2	

Lada

2108-2109	84-97	3-5	1					75	165					
Niva	76-99	3	1		9f			75	165	300	11 3/4	700	27 1/2	
	76-99	3	9					75	165					
Sagona	91-99	4	1					75	165					
Samara	84-99	3-5	1					75	165					
Signet	60-94	4	1					75	165	300	11 3/4	700	27 1/2	

Land Rover

Discovery	95-98	5	9					75	165					
-----------	-------	---	---	--	--	--	--	----	-----	--	--	--	--	--

Lexus

ES 300	92-96	4	8		1b	26	25	75	165	280	11	550	21 3/4	
GS 300	93-97	4	5			27	28	75	165	200	7 3/4	700	27 1/2	
GX 470	04-09	5	9					75	165					
IS300	01-03	4	2			17	17	75	165	250	9 3/4	600	23 1/2	4i
LS 400	90-94	4	5			28	27	75	165	300	11 3/4	660	26	
LX 450	96-98	5	1		1i			75	165	300	11 3/4	700	27 1/2	
RX 330	04-07	5	9					75	165					
SC 300	92-99	2	5		1c	23	22	75	165	490	19 1/4	400	15 3/4	
	92-99	2	5	□	9o	24	23	75	165	440	17 1/4	360	14 1/4	
SC 400	92-99	2	5		1c	23	22	75	165	490	19 1/4	400	15 3/4	
	92-99	2	5	□	9o	24	23	75	165	440	17 1/4	360	14 1/4	

Lincoln

Continental	82-87	4	1					75	165	300	11 3/4	700	27 1/2	
Mark VIII	93-98	2	5		1c	27	26	75	165	440	17 1/4	360	14 1/4	
	93-98	2	5	□	9o	28	28	75	165	440	17 1/4	370	14 1/2	4i
Navigator	98-01	5	9					75	165					

Mazda

3	04-09	4	10			22	20	75	165	350	13 3/4	600	23 1/2	
3 Sport	04-09	5	10		1i	22	20	75	165	350	13 3/4	600	23 1/2	
323	86-89	3	3			15	15	75	165	250	9 3/4	700	27 1/2	
	90-95	3	2			11	7	75	165	400	15 3/4	700	27 1/2	
	95-97	3	2		1d	12	10	75	165	480	19	440	17 1/4	
	86-89	4-5	3			15	14	75	165	250	9 3/4	650	25 1/2	
323 Wag	86-89	5	1					75	165					
6	04-08	4	10			18	17	75	165	280	11	500	19 3/4	
6 Sport	04-08	5	10			18	17	75	165	280	11	500	19 3/4	
6 Sport Wagon	04-08	5	10			18	16	75	165	500	19 3/4	700	27 1/2	
	04-08	5	9					75	165					
626	88-92	4	2			14	13	75	165	280	11	700	27 1/2	
	93-97	4	2			16	14	75	165	275	10 3/4	600	23 1/2	
	88-92	5	2			14	13	75	165	280	11	700	27 1/2	
626 Cronos	93-97	4	2			16	14	75	165	275	10 3/4	600	23 1/2	
929	88-91	4	4			25	24	75	165	300	11 3/4	700	27 1/2	
	92-94	4	8		1b	28	28	75	165	250	9 3/4	500	19 3/4	
929 Serenia	92-94	4	8		1b	28	28	75	165	250	9 3/4	500	19 3/4	
B2200	85-93	2	1					75	165					
B2200 Cab Plus	85-93	2	1					75	165					
B2300 Cab Plus	94-97	2	6		1c	32	32	75	165	500	19 3/4	420	16 1/2	
	94-97	2	6	□	9o	32	32	75	165	400	15 3/4	330	13	3u 4i
B2300 Pickup	94-97	2	6		1d	32	32	75	165	500	19 3/4	420	16 1/2	
B2600	85-93	2	1					75	165					
B2600 Cab Plus	85-93	2	1					75	165					
B3000 Cab Plus	94-97	2	6		1c	32	32	75	165	500	19 3/4	420	16 1/2	3u 4i
	94-97	2	6	□	9o	32	32	75	165	400	15 3/4	330	13	
B3000 Pickup	94-97	2	6		1d	32	32	75	165	500	19 3/4	420	16 1/2	
B4000 Cab Plus	94-97	2	6		1c	32	32	75	165	500	19 3/4	420	16 1/2	3u 4i
	94-97	2	6	□	9o	32	32	75	165	400	15 3/4	330	13	
B4000 Pickup	94-97	2	6		1d	32	32	75	165	500	19 3/4	420	16 1/2	
GLC	86-89	3	3			15	15	75	165	250	9 3/4	700	27 1/2	
Miata Hard top	90-98	2	8		1d	28	28	75	165	440	17 1/4	300	11 3/4	

Millenia	95-02	4	2		1b	10	8	75	165	250	9 3/4	550	21 3/4	
MX-3 Precidia	92-96	3	3		1b	21	17	75	165	500	19 3/4	450	17 3/4	
MX-6	88-92	2	8	□	9o	25	26	75	165	430	17	380	15	3x
MX-6 Mystere	93-97	2	8	□	1c	27	26	75	165	520	20 1/2	450	17 3/4	
	93-97	2	8					75	165	500	19 3/4	420	16 1/2	
Navajo	91-94	3	9					75	165					
Protegé	90-94	4	2			10	11	75	165	270	10 3/4	650	25 1/2	
	95-98	4	2			16	14	75	165	300	11 3/4	650	25 1/2	
	99-03	4	2			18	17	75	165	300	11 3/4	650	25 1/2	
Protégé 5	02-03	5	2			19	17	75	165	300	11 3/4	700	27 1/2	4i
RX7	78-85	3	1		1b			75	165	600	23 1/2	550	21 3/4	
Tribute	08-09	5	9					75	165					

Mercedes

190	84-93	4	2	□		21	18	75	165	300	11 3/4	640	25 1/4		
200-300	84-93	4	2				24	17	75	165	330	13	700	27 1/2	
Classe C	94-00	4	2		□	9o	18	18	75	165	310	12 1/4	620	24 1/2	4i
	01-03	4	2				26	28	75	165	180	7	340	13 1/2	
Classe E	85-95	4	2				24	17	75	165	330	13	700	27 1/2	
	96-02	4	2				24	17	75	165	300	11 3/4	700	27 1/2	
Classe E Wag	94-96	5	2			1i 9f	24	17	75	165	330	13	700	27 1/2	
	94-96	5	9						75	165					
Classe M	98-05	5	9			1f			75	165					
Classe S	92-98	4	2				29	28	75	165	300	11 3/4	700	27 1/2	

Mercury

Cougar	89-97	2	5	□	1c	32	30	75	165	430	17	350	13 3/4		
	89-97	2	5		□	9o	30	31	75	165	410	16 1/4	280	11	
	98-02	3	8		□	9o	28	26	75	165	450	17 3/4	350	13 3/4	
Grand Marquis	79-91	4	2				28	28	75	165	300	11 3/4	700	27 1/2	
Grand Marquis WAG	79-91	5	2				27	29	75	165	300	11 3/4	700	27 1/2	
	79-91	5	9						75	165					
Lynx	81-90	3	1						75	165					
	81-90	5	1						75	165					
Lynx WAG	81-90	5	1						75	165					
Sable	86-95	4	6				22	20	75	165	300	11 3/4	600	23 1/2	
	96-99	4	2			14	15	75	165	300	11 3/4	600	23 1/2		
Topaz	84-95	2	6	□	1c	19	18	75	165	570	22 1/2	500	19 3/4		
	84-95	2	6		9o	18	15	75	165	500	19 3/4	420	16 1/2		
	84-95	4	6		18	18	75	165	300	11 3/4	650	25 1/2			
Tracer	86-89	3	3			15	15	75	165	250	9 3/4	700	27 1/2		
	91-96	3	3			24	23	75	165	450	17 3/4	700	27 1/2		
	91-96	4	3			20	20	75	165	250	9 3/4	700	27 1/2		
	97-99	4	3			24	24	75	165	300	11 3/4	650	25 1/2	3y 4i	
	86-89	4-5	3			15	14	75	165	250	9 3/4	650	25 1/2		
Tracer Wag	91-96	5	3			20	20	75	165	250	9 3/4	700	27 1/2		
	86-89	5	1					75	165						
	91-96	5	2			14	13	75	165	200	7 3/4	600	23 1/2	4i 3u	
97-99	5	2			12	12	75	165	300	11 3/4	700	27 1/2	3y 4i		

Merkur

XR4TI	85-89	3	1					75	165	300	11 3/4	700	27 1/2	
-------	-------	---	---	--	--	--	--	----	-----	-----	--------	-----	--------	--

Mitsubishi

3000 GT	91-97	3	8	□	9o	28	26	75	165	480	19	390	15 1/4	
Colt	93-96	2	3	□	1c	20	19	75	165	450	17 3/4	400	15 3/4	
	93-96	2	3		9o	22	21	75	165	400	15 3/4	360	14 1/4	
	79-88	3	5	□	1c	9	8	75	165	500	19 3/4	400	15 3/4	
	79-88	3	5		9o	10	10	75	165	470	18 1/2	370	14 1/2	
	89-92	3	4		1c	18	14	75	165	520	20 1/2	440	17 1/4	
	89-92	3	4	□	9o	15	11	75	165	430	17	330	13	
	79-88	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b
Colt Minivan	93-96	4	3		1d	20	19	75	165	450	17 3/4	400	15 3/4	
	84-91	5	1					75	165					
	84-91	5	9					75	165					
Eclipse	90-94	3	2		1b	10	10	75	165	550	21 3/4	480	19	
Expo	92-96	4	1		9f			75	165					
	92-96	4	9					75	165					
Galant	88-93	4	2			13	10	75	165	300	11 3/4	700	27 1/2	4i
	98-99	4	2			25	23	75	165	300	11 3/4	650	25 1/2	4i

Galant	02-03	4	2	□		12	12	75	165	230	9	700	27 1/2	4i
	94-97	4-5	2				13	75	165	300	11 3/4	700	27 1/2	
Lancer	02-03	4	2	□		23	13	75	165	300	11 3/4	700	27 1/2	3y 4i
Mirage	03-07	4	2				20	19	75	165	450	17 3/4	400	
		93-96	2	3	□	1c	20	21	75	165	400	15 3/4	360	14 1/4
	93-96	2	3	20			18	75	165	450	17 3/4	350	13 3/4	4i
	97-99	2	2	□	1c	9	8	75	165	500	19 3/4	400	15 3/4	
	79-88	3	5			10	10	75	165	470	18 1/2	370	14 1/2	
	79-88	3	5	□	1c	18	14	75	165	520	20 1/2	440	17 1/4	
	89-92	3	4			15	11	75	165	430	17	330	13	
	89-92	3	4	□	9o	9	9	75	165	290	11 1/2	700	27 1/2	1b
	79-88	4	5			20	19	75	165	450	17 3/4	400	15 3/4	
	93-96	4	3	□	1d	19	18	75	165	300	11 3/4	650	25 1/2	4i
	97-99	4	2											
Montero	83-90	5	1	□				75	165					
Outlander	08-09	5	9											
Space Runner	92-99	4	1	□	9f			75	165					
	92-99	4	9											
Space Wagon	92-97	4	1	□	9f			75	165					
	92-97	4	9											

Nissan

200 SX	95-98	2	4	□	1d	19	18	75	165	500	19 3/4	400	15 3/4		
	84-88	3	5				17	16	75	165	520	20 1/2	420		16 1/2
240 SX	95-98	2	8	□	1c	30	30	75	165	500	19 3/4	460	18	3x	
	95-98	2	8				30	30	75	165	460	18	420	16 1/2	4l
300 ZX T-Top	84-89	3	3	□	1d	29	29	75	165	550	21 3/4	470	18 1/2	1g	
Altima	93-97	4	5				18	17	75	165	250	9 3/4	570	22 1/2	
	98-01	4	5	□		26	22	75	165	300	11 3/4	600	23 1/2	3x	
Axxess	89-95	5	4				24	23	75	165	250	9 3/4	700	27 1/2	4i
Costaud	87-97	2	4	□	1d	29	28	75	165	500	19 3/4	430	17		
Costaud King Cab	87-97	2	4				29	28	75	165	500	19 3/4	430	17	
	87-97	2	4	□	9o	30	29	75	165	470	18 1/2	350	13 3/4		
Frontier	98-04	2	5				30	27	75	165	450	17 3/4	350	13 3/4	
	00-04	4	4	□		29	28	75	165	300	11 3/4	700	27 1/2	4i	
Maxima	84-88	4	1												
	89-94	4	4	□		25	23	75	165	300	11 3/4	650	25 1/2		
	95-99	4	5				24	22	75	165	280	11	620	24 1/2	
Multi	82-88	5	4	□		28	27	75	165	200	7 3/4	700	27 1/2		
Murano	03-09	5	9												
NX 1600	91-93	3	3	□	1d	28	28	75	165	500	19 3/4	450	17 3/4	1g	
NX 1600 T-Top	91-93	3	8				29	30	75	165	470	18 1/2	390	15 1/4	3x 4l
NX 2000	91-93	3	3	□	1d	28	28	75	165	500	19 3/4	450	17 3/4	1g	
NX 2000 T-Top	91-93	3	8				29	30	75	165	470	18 1/2	390	15 1/4	3x 4l
Pathfinder	90-95	5	4	□	1b 1i	32	32	75	165	520	20 1/2	450	17 3/4	3c	
	96-04	5	3				19	17	75	165	350	13 3/4	750		29 1/2
Pickup	87-97	2	4	□	1d	29	28	75	165	500	19 3/4	430	17		
Pickup King Cab	87-97	2	4				29	28	75	165	500	19 3/4	430	17	
	87-97	2	4	□	9o	30	29	75	165	470	18 1/2	350	13 3/4		
Pulsar	83-86	2	3				19	18	75	165	490	19 1/4	550	21 3/4	
Quest	04-09	5	9	□	1b			75	165						
Rogue / X-Trail	08-09	5	9												
Sentra	91-95	2	4	□	1c	17	15	75	165	500	19 3/4	450	17 3/4	4i 1x	
	91-95	2	4				18	14	40	88	500	19 3/4	380		15
	86-90	2-3	1	□				75	165						
	86-90	4	1												
	91-94	4	4	□		16	15	75	165	300	11 3/4	630	24 3/4		
	95-99	4	4				17	17	75	165	300	11 3/4	600	23 1/2	
	01-06	4	5	□		19	15	75	165	350	13 3/4	600	23 1/2		
	86-90	5	1												
Sentra Classic	91-93	2-3	1	□				75	165						
	91-93	4	1												
	91-93	5	1	□				75	165						
	91-93	5	1												
Stanza	87-89	4	3	□		20	20	75	165	250	9 3/4	650	25 1/2	3x	
	90-92	4	8				27	26	75	165	300	11 3/4	650	25 1/2	3x
	87-89	5	5				21	21	75	165	250	9 3/4	700	27 1/2	

Oldsmobile														
88	86-91	4	2			29	30	75	165	250	9 3/4	700	27 1/2	
	92-99	4	2			25	23	75	165	300	11 3/4	700	27 1/2	
98	85-90	4	2			32	32	75	165	300	11 3/4	700	27 1/2	3x
	91-96	4	2			25	25	75	165	260	10 1/4	700	27 1/2	3x
Alero	99-05	2	4			20	20	75	165	650	25 1/2	550	21 3/4	
	99-05	4	4			19	21	75	165	250	9 3/4	600	23 1/2	
Bravada	82-94	3	3		1d 9f	25	25	75	165	455	18	400	15 3/4	
	82-94	3	9					75	165					
	91-94	5	2		1d 9f	16	16	75	165	30	1 1/4	430	17	
	91-94	5	9					75	165					
	95-02	5	9					75	165					
Cutlass Calais	85-91	2	2		1d	18	18	75	165	610	24	560	22	
	85-91	4	2			16	16	75	165	250	9 3/4	650	25 1/2	
Cutlass Ciera	82-96	4	2			22	21	75	165	250	9 3/4	700	27 1/2	
Cutlass Cruiser WAG	84-96	5	2		1i 9f	22	21	75	165	250	9 3/4	700	27 1/2	
	84-96	5	9					75	165					
Cutlass Supreme	89-97	4	5			28	28	75	165	300	11 3/4	660	26	
Firenza	82-88	2	1					75	165					
	82-88	3	1					75	165					
	82-88	4	1					75	165					
Intrigue	98-01	4	2			13	10	75	165	300	11 3/4	700	27 1/2	4i 4j
LSS	96-98	4	5			28	28	75	165	300	11 3/4	660	26	
Regency	85-90	4	2			32	32	75	165	300	11 3/4	700	27 1/2	3x
Silhouette	97-99	4	9					75	165					
	97-04	5	9					75	165					
Toronado	81-85	2	2			27	27	75	165	530	20 3/4	700	27 1/2	
	86-89	2	5	□		30	29	75	165	520	20 1/2	430	17	
Touring Sedan	85-90	4	2			32	32	75	165	300	11 3/4	700	27 1/2	3x
Troféo	87-89	2	5	□		30	29	75	165	520	20 1/2	430	17	

Passeport														
Optima	87-93	3	3		1c	20	19	75	165	470	18 1/2	400	15 3/4	3u 4i
	87-93	3	3	□	9o	19	19	75	165	440	17 1/4	390	15 1/4	3u
	87-93	4-5	3		1d	17	17	75	165	510	20	440	17 1/4	

Peugeot														
405 Wag	90-91	5	9					75	165					
504	75-95	4	1					75	165					
505	80-91	4	1					75	165					
505 Wag	84-91	5	1		9f			75	165	300	11 3/4	700	27 1/2	
	84-91	5	9					75	165					

Plymouth														
Acclaim	88-95	4	4			21	19	75	165	250	9 3/4	700	27 1/2	
Breeze	96-99	4	4			28	25	75	165	260	10 1/4	580	22 3/4	
Caravelle Salon	77-88	4	2			22	25	75	165	300	11 3/4	700	27 1/2	
Caravelle Salon WAG	77-88	5	2		1i	22	25	75	165	300	11 3/4	700	27 1/2	
Colt	93-96	2	3		1c	20	19	75	165	450	17 3/4	400	15 3/4	
	93-96	2	3	□	9o	22	21	75	165	400	15 3/4	360	14 1/4	
	79-88	3	5		1c	9	8	75	165	500	19 3/4	400	15 3/4	
	79-88	3	5	□	9o	10	10	75	165	470	18 1/2	370	14 1/2	
	79-88	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b
	93-96	4	3		1d	20	19	75	165	450	17 3/4	400	15 3/4	
Colt 100	89-92	3	5		1c	9	8	75	165	500	19 3/4	400	15 3/4	
	89-92	3	5	□	9o	10	10	75	165	470	18 1/2	370	14 1/2	
	89-92	4	5			9	9	75	165	290	11 1/2	700	27 1/2	1b
Colt 200	89-92	3	4		1c	18	14	75	165	520	20 1/2	440	17 1/4	
	89-92	3	4	□	9o	15	11	75	165	430	17	330	13	
Colt Minivan	92-96	4	1		9f			75	165					
	92-96	4	9					75	165					
	84-91	5	1					75	165					
	84-91	5	9					75	165					
Colt Vista	84-91	5	1					75	165					
	84-91	5	9					75	165					
Duster	87-94	3	4		1c	22	21	75	165	500	19 3/4	450	17 3/4	
	87-94	3	4	□	9o	20	22	75	165	500	19 3/4	390	15 1/4	
	87-94	5	4			21	19	75	165	260	10 1/4	630	24 3/4	
Grand Voyager	88-95	4	1		9f			75	165					

Grand Voyager	88-95	4	9	α			75	165						
	96-99	4	9					75	165					
	96-99	5	4			1i	26	26	75	165	130	-5	800	31 1/2
Horizon	96-99	5	9						75	165				
	78-89	5	1						75	165				
Laser	84-86	3	4			1d	21	21	75	165	460	18	420	16 1/2
	90-94	3	2			1b	10	10	75	165	550	21 3/4	480	19
Neon	94-99	2	8			1c	24	23	75	165	500	19 3/4	450	17 3/4
	94-99	2	8			9o	27	24	75	165	400	15 3/4	340	13 1/2
	94-99	4	8			1b	23	22	75	165	220	8 3/4	550	21 3/4
	94-99	4	9						75	165				
	00	4	4				18	15	75	165	320	12 1/2	600	23 1/2
Reliant	81-89	2	1						75	165				
	81-89	4	1						75	165				
Reliant WAG	81-89	5	1			9f			75	165				
	81-89	5	9						75	165				
Sundance	87-94	3	4			1c	22	21	75	165	500	19 3/4	450	17 3/4
	87-94	3	4			9o	20	22	75	165	500	19 3/4	390	15 1/4
	87-94	5	4			21	19	75	165	260	10 1/4	630	24 3/4	
Voyager	84-95	4	1		9f			75	165					
	84-95	4	9					75	165					
	96-01	4	9					75	165					
	96-99	5	4		1i	26	26	75	165	130	-5	800	31 1/2	
	96-99	5	9					75	165					

Pontiac														
2000	82-88	2	1	α				75	165					
	88-94	2	1						75	165				
	82-88	3	1						75	165				
	82-94	4	1						75	165				
6000	82-91	2	2				22	22	75	165	550	21 3/4	700	27 1/2
	82-91	4	2				22	21	75	165	250	9 3/4	700	27 1/2
6000 WAG	84-91	5	2			1i 9f	22	21	75	165	250	9 3/4	700	27 1/2
	84-91	5	9						75	165				
Acadian	78-87	3	1						75	165	300	11 3/4	700	27 1/2
	78-87	5	1						75	165	300	11 3/4	700	27 1/2
Bonneville	87-91	4	2				29	30	75	165	250	9 3/4	700	27 1/2
	92-99	4	2				25	23	75	165	300	11 3/4	700	27 1/2
Fiero	84-88	2	3			1d	26	26	75	165	400	15 3/4	350	13 3/4
Firebird	93-02	3	2			1d	20	19	75	165	440	17 1/4	390	15 1/4
Firebird T-Top	93-02	3	2			1d	20	19	75	165	440	17 1/4	390	15 1/4
Firefly	84-88	3	3			1c	18	17	75	165	550	21 3/4	500	19 3/4
	84-88	3	3			9o	20	20	75	165	460	18	400	15 3/4
	89-94	3	4			1c	13	10	75	165	540	21 1/4	470	18 1/2
	89-94	3	4		9o	13	13	75	165	480	19	350	13 3/4	
	95-00	3	3		1c	15	14	75	165	400	15 3/4	350	13 3/4	
	95-00	3	3		9o	14	14	75	165	410	16 1/4	390	15 1/4	
	89-94	4	4			12	11	75	165	280	11	630	24 3/4	
	95-00	4	3			14	12	75	165	250	9 3/4	600	23 1/2	
	84-88	5	3			19	19	75	165	220	8 3/4	700	27 1/2	
	89-94	5	4			12	11	75	165	280	11	630	24 3/4	
Grand Am	85-91	2	2		1d	18	18	75	165	610	24	560	22	
	99-04	2	4			19	19	75	165	600	23 1/2	540	21 1/4	
	99-04	2	4			19	19	75	165	555	21 3/4	350	13 3/4	
	85-91	4	2			16	16	75	165	250	9 3/4	650	25 1/2	
	99-04	4	4			19	21	75	165	250	9 3/4	600	23 1/2	
Grand Prix	88-96	4	5			28	28	75	165	300	11 3/4	660	26	
	97-03	4	2			16	15	75	165	300	11 3/4	650	25 1/2	
Le Mans	87-93	3	3		1c	20	19	75	165	470	18 1/2	400	15 3/4	
	87-93	3	3		9o	19	19	75	165	440	17 1/4	390	15 1/4	
	87-93	4-5	3		1d	17	17	75	165	510	20	440	17 1/4	
Montana	00-04	5	9					75	165					
Safari Wag	89	5	9		1b 1x			40	88					
Sunbird	82-87	2	1					75	165					
	88-94	2	1					75	165					
	82-88	3	1					75	165					
	82-94	4	1					75	165					

Sunbird WAG	82-94	5	1	□	9f	20		75	165					
	82-94	5	9						75	165				
Sunfire	95-04	2	5	□	1c	20	20	75	165	550	21 3/4	470	18 1/2	
	95-04	2	5		9o	19	22	75	165	500	19 3/4	440	17 1/4	
	95-04	4	5			15	13	75	165	210	8 1/4	650	25 1/2	
Sunrunner	94-98	3	2			10	10	75	165	400	15 3/4	700	27 1/2	
Tempest	88-91	4	5			27	24	75	165	260	10 1/4	600	23 1/2	
Trans-Am	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Trans-Am T-Top	93-02	3	2		1d	20	19	75	165	440	17 1/4	390	15 1/4	3c
Trans-Sport	97-99	4	9					75	165					
	97-99	5	9					75	165					
Wave	05-07	5	2			14	12	75	165	300	11 3/4	700	27 1/2	

Porsche

911	64-97	2	1	□				75	165					
924	75-91	3	1						75	165				

Renault

5	72-95	3-5	1	□				75	165	300	11 3/4	700	27 1/2		
18	78-91	4	1						75	165					
18 Break-Wag-SW	78-85	5	1						75	165					
Alliance	83-88	4	1						75	165	350	13 3/4	700	27 1/2	
Chameau	78-84	3	1						75	165	300	11 3/4	700	27 1/2	
Encore	83-88	3-5	1						75	165					
Fuego	83-91	3	1						75	165					
Le Car	78-84	3	1						75	165	300	11 3/4	700	27 1/2	

Saab

9.5 Wag	99-04	5	9	□				75	165	400	15 3/4	800	31 1/2		
900	78-93	3	1						75	165					
	78-93	5	1						75	165					
	94-98	5	5			18	16	75	165	330	13	730	28 3/4	4i	
9000	84-97	4	4			22	20	75	165	410	16 1/4	850	33 1/2	4i	
	84-98	5	4			22	20	75	165	410	16 1/4	850	33 1/2	4i	
9-3	99-01	5	5			18	16	75	165	330	13	730	28 3/4	4i	

Saturn

LW / L300	00-04	5	9	□				75	165	500	19 3/4	900	35 1/2	
SL	92-95	4	2			26	26	75	165	300	11 3/4	650	25 1/2	4o

Subaru

Chaser	85-88	3	1	□				75	165						
GL	85-88	3	1						75	165					
	85-89	4	1						75	165					
Impreza / RS	94-01	2	8		9o	24	20	75	165	420	16 1/2	340	13 1/2	4o	
Impreza Outback	95-05	5	8		1i 9q	25	23	75	165	190	7 1/2	500	19 3/4		
	95-05	5	8		9q	24	20	75	165	420	16 1/2	340	13 1/2	3x	
Impreza TS / RS	94-01	4	8		1b 1d	25	23	75	165	190	7 1/2	500	19 3/4		
Impreza Wag	94-05	5	8		1i 9q	25	23	75	165	190	7 1/2	500	19 3/4		
	94-05	5	8	9q	24	20	75	165	420	16 1/2	340	13 1/2	3x		
Justy	87-95	3	1					75	165						
	87-95	5	1					75	165						
Legacy	90-94	4	8			22	24	75	165	300	11 3/4	700	27 1/2		
	95-99	4	8		1b	27	25	75	165	200	7 3/4	600	23 1/2		
	05-09	4	8			32	32	75	165	250	9 3/4	700	27 1/2	4o	
Legacy / Legacy GT	00-04	4	8			32	32	75	165	250	9 3/4	700	27 1/2	4o	
Legacy Outback	00-06	5	9					75	165						
Loyale	90-94	4	1					75	165						
Outback Sedan	00-01	4	8			32	32	75	165	250	9 3/4	700	27 1/2	4o	
XT	85-91	2	1		1d			75	165	440	17 1/4	400	15 3/4		
XT6	85-91	2	1		1d			75	165	440	17 1/4	400	15 3/4		

Suzuki

Aerio	02-06	5	2	□		17	17	75	165	300	11 3/4	700	27 1/2	4i	
Cultus	84-88	3	3		1c	18	17	75	165	550	21 3/4	500	19 3/4		
	84-88	3	3		9o	20	20	75	165	460	18	400	15 3/4		
	84-88	5	3			19	19	75	165	220	8 3/4	700	27 1/2	3u	
Esteem	95-02	4	3			20	19	75	165	250	9 3/4	600	23 1/2		
Esteem Wag	98-02	5	9						75	165					
Forsa	84-88	3	3		1c	18	17	75	165	550	21 3/4	500	19 3/4		
	84-88	3	3		9o	20	20	75	165	460	18	400	15 3/4		
	84-88	5	3		19	19	75	165	220	8 3/4	700	27 1/2	3u		

Grand Vitara	99-05	5	9	□	1f	10		75	165	200	7 3/4	900	35 1/2			
Samurai	83-98	3	1						75	165						
Sidekick	89-98	3	2					10	10	75	165	400	15 3/4	700	27 1/2	
Swift	89-94	3	4				1c	13	10	75	165	540	21 1/4	470	18 1/2	
	89-94	3	4				9o	13	13	75	165	480	19	350	13 3/4	
	95-00	3	3				1c	15	14	75	165	400	15 3/4	350	13 3/4	
	95-00	3	3				9o	14	14	75	165	410	16 1/4	390	15 1/4	3u
	89-94	4	4					12	11	75	165	280	11	630	24 3/4	
	89-94	5	4					12	11	75	165	280	11	630	24 3/4	
SX-4	07-09	5	9				1f 1a			75	165					
Vitara	99-04	5	9		1f			75	165	200	7 3/4	900	35 1/2			
XL7	01-06	5	9		1f			75	165	280	11	600	23 1/2			

Toyota

4Runner	90-98	3	5	□	9o	25	27	75	165	400	15 3/4	320	12 1/2		
	90-02	5	4				27	27	75	165	300	11 3/4	700	27 1/2	
	03-09	5	9	□	1c	26	26	75	165	600	23 1/2	470	18 1/2		
Camry	92-96	2	5			9o	26	25	75	165	520	20 1/2	370	14 1/2	
	87-91	4	1				26	26	75	165	280	11	650	25 1/2	
	92-96	4	5				26	26	75	165	280	11	650	25 1/2	
	97-01	4	5			1z	26	25	60	132	300	11 3/4	650	25 1/2	4i
	07-09	4	2				21	21	75	165	280	11	650	25 1/2	
Camry Wag	87-91	5	1				21	21	75	165	280	11	650	25 1/2	
	92-97	5	5			1i 9f	26	26	75	165	280	11	650	25 1/2	
	92-97	5	9				26	26	75	165	280	11	650	25 1/2	
Celica	86-89	2	8		□	1c	22	22	75	165	490	19 1/4	450	17 3/4	4l
	86-89	2	8			9o	22	20	75	165	440	17 1/4	400	15 3/4	4l
	79-85	3	3			1b	24	24	75	165	530	20 3/4	500	19 3/4	
	86-89	3	8			9o	22	18	75	165	420	16 1/2	380	15	
	90-93	3	8			9o	22	23	75	165	410	16 1/4	370	14 1/2	
	00-05	3	8			9o	23	20	75	165	380	15	300	11 3/4	
Corolla	88-92	4	1				23		75	165	250	9 3/4	650	25 1/2	
	93-97	4	8				23	21	75	165	300	11 3/4	680	26 3/4	
	98-02	4	8				27	26	75	165	300	11 3/4	700	27 1/2	
	03-08	4	2				15	18	75	165	220	8 3/4	600	23 1/2	4i
	09	4	2			19	17	75	165	230	9	600	23 1/2		
Corolla GTS	85-91	2	4	□	1c	13	13	75	165	450	17 3/4	380	15		
	85-91	2	4			9o	11	13	75	165	360	14 1/4	290	11 1/2	
Corolla SR5	85-91	2	4	□	1c	13	13	75	165	450	17 3/4	380	15		
	85-91	2	4			9o	11	13	75	165	360	14 1/4	290	11 1/2	
Corolla WAG	88-92	5	1						75	165					
	93-97	5	1		9f			75	165						
	93-97	5	9					75	165						
Cressida	85-88	4	3	□		25	25	75	165	300	11 3/4	650	25 1/2		
Echo	00-05	2	3			9o	23	23	75	165	430	17	350	13 3/4	4i
	00-05	4	3				23	22	75	165	300	11 3/4	700	27 1/2	4i
Echo Hatchback	04-05	5	3				19	21	75	165	150	6	600	23 1/2	9q 4i 3y
Highlander	08-09	5	9						75	165					
LandCruiser MR-2	93-98	5	1			1i			75	165	300	11 3/4	700	27 1/2	
	85-89	2	1			1d			75	165					
	90-97	2	3			1d	24	24	75	165	430	17	380	15	3c
Paseo	91-95	2	8		□	1c	28	26	75	165	530	20 3/4	480	19	
	91-95	2	8				9o	28	28	75	165	440	17 1/4	410	16 1/4
Pickup Xcab	89-95	2	4	□	1c	24	24	75	165	490	19 1/4	400	15 3/4		
	89-95	2	4			9o	27	26	75	165	400	15 3/4	300	11 3/4	
Previa	91-98	4	9					75	165						
Rav 4	95-00	3	2	□	1c	14	13	75	165	490	19 1/4	420	16 1/2		
	95-00	3	2			9o	15	13	75	165	490	19 1/4	420	16 1/2	
	95-00	5	2				14	14	75	165	100	4	600	23 1/2	
	01-05	5	2				21	20	75	165	200	7 3/4	700	27 1/2	4i
	06-09	5	9						75	165					
Sequoia	09	5	9					75	165						
Sienna	98-03	4	9	□	1f			75	165						
	98-03	5	9						75	165					
	04-09	5	9			1f			75	165					
Solara	99-03	2	8	□	9o	32	32	75	165	400	15 3/4	350	13 3/4	4o	

Supra	86-93	3	8	□	1c	22	22	75	165	530	20 3/4	460	18	
	86-93	3	8		9o	22	22	75	165	480	19	420	16 1/2	
Tacoma	96-00	2	5	□	9o	28	27	75	165	470	18 1/2	300	11 3/4	4i
Tacoma Dual Cab	01-04	4	5		18	20	75	165	300	11 3/4	800	31 1/2	4i	
Tercel	86-90	2	3			18	17	75	165	300	11 3/4	700	27 1/2	
	91-94	2	8		1c	17	16	75	165	540	21 1/4	490	19 1/4	
	91-94	2	8	□	9o	18	16	75	165	400	15 3/4	350	13 3/4	
	95-99	2	3		1c	19	18	75	165	550	21 3/4	500	19 3/4	
	95-99	2	3	□		19	19	75	165	450	17 3/4	500	19 3/4	3u 4i
	86-90	3	3		18	17	75	165	300	11 3/4	700	27 1/2		
	91-94	4	3			19	18	75	165	280	11	650	25 1/2	
	95-99	4	3			18	17	75	165	300	11 3/4	650	25 1/2	
	86-90	5	3			18	17	75	165	300	11 3/4	700	27 1/2	
Yaris	06-09	5	2			12	8	75	165	380	15	760	30	

Volkswagen

Corrado	90-95	3	3			12	16	75	165	350	13 3/4	600	23 1/2	
Fox	88-91	2	1						75	165				
	88-91	4	1					75	165					
Fox WAG	88-91	3	1					75	165	300	11 3/4	700	27 1/2	
Golf	85-92	3	1					75	165	300	11 3/4	700	27 1/2	4i
	93-98	3	7			9	6	75	165	250	9 3/4	650	25 1/2	
	85-92	5	1					75	165	400	15 3/4	800	31 1/2	4i
	93-98	5	7			9	6	75	165	250	9 3/4	650	25 1/2	
	99-06	5	7V					75	165					5f
Jetta	85-92	4	1		1b			75	165	400	15 3/4	800	31 1/2	4i
	93-98	4	7			9	6	75	165	250	9 3/4	650	25 1/2	
	99-05	4	7V					75	165					5f
Passat	90-97	4	2			12	8	75	165	300	11 3/4	700	27 1/2	
Passat WAG	90-97	5	2		1i 9f	12	8	75	165	300	11 3/4	700	27 1/2	
	90-97	5	9					75	165					
Rabbit	74-84	3	1			1	1	75	165					
	74-84	5	1					75	165	300	11 3/4	700	27 1/2	
Tiguan	08-09	5	9					75	165					

Volvo

S80	99-03	4	2			32	28	75	165	300	11 3/4	650	25 1/2	
S90	98-99	4	1						75	165				
Serie 200	74-93	4	1					75	165					
Serie 200 Break-Wag-SW	74-93	5	1		9f			75	165					
	74-93	5	9					75	165					
Serie 200 Wag	74-93	5	1		9f			75	165					
	74-93	5	9					75	165					
Serie 700	83-92	2	1					75	165	300	11 3/4	700	27 1/2	
	83-92	4	1					75	165	280	11	700	27 1/2	
Serie 700 Wag	83-92	5	1		9f			75	165	280	11	700	27 1/2	
	83-92	5	9					75	165					
Serie 850 Wag	93-97	5	10			23	19	75	165	300	11 3/4	800	31 1/2	
	93-97	5	9					75	165					
Serie 900	91-98	4	1					75	165					
Serie 900 Wag	91-97	5	1					75	165					
V70	98-01	5	10			23	19	75	165	300	11 3/4	800	31 1/2	
	98-01	5	9					75	165					
V70xc/90xc	98-04	5	9					75	165					
V90	98-99	5	1					75	165					

Yugo

55	80-95	3	1					75	165					
GV / GVS / GVX	87-90	3	1					75	165					

Recommendation notes

GB

RESTRICTIONS

- 1a Do not exceed the maximum load recommended by the car manufacturer
- 1b Do not load large, long, or heavy objects on rack (furniture, boats, sailboards, car top boxes, etc...)
- 1c Skis and/or snowboards only. The 2 door short roof adapter is required for any other loads. See other fit for this vehicle on next line.
- 1d Skis and/or snowboards only
- 1f For vehicles with factory installed raised* longitudinal roof racks only (*as opposed to flush mounted rails)
- 1g For models with hard top only
- 1i For vehicles without factory installed roof racks only
- 1x Do not exceed 40 kg (88 lbs) of load
- 1z Do not exceed 60 kg (132 lbs) of load

MOUNTING INDICATIONS

- 3b Install hook in groove above door
- 3c Insert hook between rubber molding and solid roof detail (use a plastic card, calling card type, to gently pry molding away from vehicle)
- 3h Separate rubber molding from roof sill, insert hook on sill, then reposition molding
- 3m Anchor to roof edge
- 3u Attachment mechanism must be extremely tight to secure bar on roof
- 3x Do not over tighten the bars (may damage the roof contour)
- 3y Both sides of the bar must be tightened simultaneously

MOUNTING INDICATIONS ...

- 4i Hold the hook while tightening the mechanism
- 4j Tighten until the hook deforms. The deformation must be big enough so that the rubbered surface of the hook is fully in contact with the car anchoring surface.
- 4l Insert hook between rubber molding and plastic or chromed molding
- 4o Tighten bars until they are firm. Over tightening may deform the roof panel of the vehicle.

INSTALLATION POSITIONS

- 5f Install hook at manufacturer's recommended point of attachment

MISCELLANEOUS

- 9b Sun roof will not open
- 9d Remove rack when not in use : the rubber door seal or trim may deform under prolonged contact with any roof rack brackets
- 9f There is another reference on the next line for vehicles with factory installed raised* longitudinal roof racks (*as opposed to flush mounted rails)
- 9o The 2 door short roof adapter is required for any load other than skis and/or snowboards.
- 9q Skis and/or snowboards and bicycles only

Recommandations et Notes d'utilisation

F

RESTRICTIONS

- 1a Ne pas dépasser la charge maximum prévue par le constructeur du véhicule
- 1b Ne pas utiliser pour des objets volumineux ou des charges excessives (meuble, planche à voile, valise ou coffre de toit,...)
- 1c Seulement pour skis et/ou planches à neige. L'adaptateur de toit court est requis pour tout autre charge. Consulter l'autre référence pour ce véhicule à la ligne suivante.
- 1d Seulement pour skis et/ou planches à neige
- 1f Seulement pour véhicules équipés de barres longitudinales d'origine surélevées
- 1g Seulement pour véhicules munis de toit rigide (hard-top)
- 1i Seulement pour véhicules sans barres d'origine
- 1x Ne pas dépasser 40 kg (88 lbs) de charge
- 1z Ne pas dépasser 60 kg (132 lbs) de charge

DÉTAILS DE MONTAGE

- 3b Accrocher dans la rainure au-dessus de la porte
- 3c Accrocher entre la garniture de caoutchouc et un appui solide du toit (utiliser si nécessaire une carte de type téléphone pour introduire le crochet ou la contre-patte)
- 3h Ecarter la garniture de caoutchouc, installer le crochet sur le longeron puis replacer la garniture
- 3m Accrocher sur le rebord du toit
- 3u Serrer fortement la barre
- 3x Ne pas serrer les barres au maximum
- 3y Le serrage doit être effectué simultanément des deux cotés

DÉTAILS DE MONTAGE ...

- 4i Tenir le crochet bien enfoncé pendant le serrage
- 4j Serrer jusqu'à ce que la déformation du crochet provoque un contact parfait entre la surface recouverte de l'autocollant de caoutchouc et le plan d'appui sur le véhicule
- 4l Insérer le crochet entre le joint de caoutchouc et la moulure plastifiée ou chromée

4o Serrer jusqu'à une bonne tenue des barres. Un trop fort serrage pourrait déformer le toit du véhicule.

POSITIONS D'INSTALLATION

5f Installer au point d'ancrage recommandé par le manufacturier

DIVERS

9b Le toit ouvrant ne pourra pas fonctionner

9d Enlever les barres en cas de non utilisation: le joint de portière ou la garniture en caoutchouc pourrait se déformer en cas de contact prolongé avec toute contre-patte

9f Il existe une autre référence ci-dessous pour ce véhicule équipé de barres longitudinales d'origine surélevées

9o L'adaptateur de toit court est requis pour toute charge autre que des skis et/ou planches à neige.

9q Seulement pour skis et/ou planches à neige et vélos